# ABSTAND IST DAS NEUE MUST-HAVE.

Wir helfen Ihnen dabei, den gesundheitsrelevanten Abstand erfolgreich in unseren Alltag zu integrieren – Schritt für Schritt auf dem Weg in eine neue Normalität. Der TÜRDRÜCKER G2 verhindert als Zusatzlösung für bestehende Türgriffe, dass Türklinken zum unkalkulierbaren Gesundheitsrisiko werden. Leicht, stabil, mobil und gleichzeitig multifunktional: Mit unserer neuen Trennwandkollektion gestalten Sie bewusst separate Bereiche in Ihren Räumlichkeiten, geben Laufwege vor und garantieren so Distanz im Interior. Die TRENNWAND T2 sichert beispielsweise als flexible Tischlösung insbesondere im Office, in Schulen, Universitäten und Bildungseinrichtungen die Einhaltung des gewünschten Abstands zum Sitznachbarn. Sie benötigen im Foyerbereich ein attraktives, beschriftbares Display für die Montage eines Desinfektionsmittelspenders? Hier steht Ihnen das neue HINWEISSCHILD H2 zur Verfügung.



#### rosconi GmbH

Kippenheimer Straße 6 77971 Kippenheim T. +49 (0) 7825.901-400 F. +49 (0) 7825.901-201 E. info@rosconi.com www.rosconi.de

Physical Distancing, in anderen Worten das Abstandhalten zum Nächsten, wird sich aufgrund unserer momentanen Erfahrungen zu einer neuen Form der Wertschätzung und gleichzeitig zu einer Hygiene-Schutzmaßnahme entwickeln. Diese neue Herausforderung haben wir bereits fest im Blick und möchten Ihnen mit unseren cleveren Raumtrennungsmodulen helfen, Ihre Räumlichkeiten zu strukturieren, für Ihre Kunden, Besucher, Schüler, Studenten und Gäste eine Raumnavigation zu definieren, Kassen- und Schalterbereiche zum Kundenbereich hin abzutrennen oder einfach Bereiche zu schaffen, in denen Diskretion großgeschrieben wird. Alle Raumtrenner-Modelle sind bequem und werkzeuglos montierbar, als Variante mit Schichtstoffplatte abwaschbar sowie desinfektionsmittelbeständig und können insbesondere in Hotellerie und Gastronomie mit Hilfe eines optional erhältlichen Stoffüberzuges pure Wohlfühlatmosphäre verströmen. Oder möchten Sie Ihre Stellwand – egal ob als bodenstehende oder tischmontierte Lösung - zusätzlich als Infotafel nutzen? Kein Problem dank Einhängeplatte zur Magnetbefestigung oder digitaler Screenlösung.

Individualisierte Lösungen im professionellen Innenausbau bieten wir Ihnen als Planer aus Leidenschaft selbstverständlich ebenfalls an und begleiten Sie durch alle Phasen und Prozesse.

Sprechen wir doch einfach miteinander.

We protect you.





Disinfectant-resistant



Laminated panel wipeable



Easy assembly without tools



Easy-Slide-System



Low panel weight



## Partition Screen L2

The Partition Screen model L2 combines a light, laminated furniture panel with two solid metal feet and thus ensures perfect distance. Set up individually or in a row, vertically or horizontally, the room divider can be easily positioned by a single person. With each partition screen **L2**, self-adhesive Velcro strips are supplied, which allow a quick arrangement of several screens if required. Screws for additional fixation are also included in the scope of delivery. With matching accessories, we offer further options for a smart use of L2. An optionally available fabric cover creates a comfortable living atmosphere. The optionally available, attachable steel plate for magnets converts the **L2** into an information or promotion display.

quantity 3 pieces) > 1 foot L2-F EUR 36,-

> Steel plate for magnets L2-M EUR 38,-

> Fabric cover L2-S EUR 59,-

> U-shaped element for panel fixation L2-U

> Trolley EUR 778,-





Trollev

Velcro strip

Attachable steel plate





Fabric cover

**Dimensions** 900 x 1800 mm, panel weight approx. 23 kg

Foot Powder-coated metal, microstructure

**Panel** Laminated furniture panel with shock-absorbant ABS edge

**Accessories** Velcro strip, standard part of delivery

Screws for additional fixation, standard part of delivery

Attachable steel plate for magnets

Fabric cover

Camira Cara EJ004 Glass - L2-S Light gray Camira Cara EJ038 Tummel - L2-S Red Camira Cara EJ048 Merrick - L2-S Dark gray Camira Cara EJ186 Fair Isle - L2-S Green

Trolley




U-connector (for panel fixation with fabric covers)



Easy-Slide-System

U-connector



problem thanks to the additionally available attachable steel plate for magnets or a digital

information screen.



Disinfectant-resistant



Laminated panel wipeable



Easy assembly without tools



Easy-Slide-System



Low panel weight

# Signage Sign H2

#### Signage Sign H2

(1 x panel, 2 x feet)

#### EUR 184,-

Minimum order quantity: 3 signage signs H2 including feet

#### **Individual prices**

- > Panel H2-P EUR 112,-(Minimum order quantity 3 pieces)
- > 1 foot L2-F EUR 36,-
- > Steel plate for magnets L2-M EUR 38,-
- > Two-piece drip tray H2-TS EUR 23,-
- > Trolley EUR 778,-

Dimensions 450 x 1800 mm

Foot

Powder-coated metal, microstructure

**Panel** 

Laminated furniture panel with shock-

absorbant ABS edge

**Accessories** Velcro strip, standard part of delivery Screws for additional fixation, standard

part of delivery

Attachable steel plate for magnets Two-piece drip tray (Steel/Stainless steel) for disinfectant dispenser

(Provided by the customer)



Disinfectant dispenser (provided by the customer) with drip tray



With digital Trolley information system





Disinfectant-resistant



Solid core panel wipeable




Easy assembly without tools



Low panel weight

#### **Individual prices**

- > Solid core panel/acrylic glass EUR 82,-
- > 1 foot with screw fixing for longitudinal and transverse installation EUR 24,-
- > 1 foot for freestanding positioning



# Table Partition Panel T2

With a protrusion of approx. 200 mm the distancing effect does not stop at the table edge...

Additional fixation possible



Foot option ,Freestanding T2-F1



Foot option ,Longitudinal installation', Transverse installation' T2-F2



Foot option T2-F3

Dimensions

Table depth Width of matching partition panel

700 mm (Protrusion approx. 200mm) 800 mm (Protrusion approx. 200mm) 500 mm 600 mm 700 mm 900 mm (Protrusion approx. 200mm) 1000 mm (Protrusion approx. 200mm) 800 mm

Height 600 mm

Foot

Steel sheet, 4 and 5 mm thick powder-coated in white

> Option for longitudinal installation (For table thicknesses of 10 - 30 mm)

If necessary, the table partition can be locked on the foot with the help of a grub screw.

> Option for transverse installation (For table thicknesses of 10 - 30 mm)

If necessary, the table partition can be locked on the foot with the help of a grub screw.

> Option for freestanding positioning

**Panel** 

Solid core panel, 6 mm thick or transparent acrylic glass, 6 mm thick



T2 | Longitudinal installation




T2 | Transverse installation

The individually shaped, slim **Table Partition Panel T2** completes rosconi's partition system collection for office environments, educational institutions, company restaurants or conference rooms. It helps to ensure the health-relevant distance from the person next to you. If discretion is a topic, the solid core panel comes in handy, if transparency and a see-through look are preferred, the acrylic glass is the ideal choice. Thanks to their convenient, tool-free mounting options, three different foot options adapt perfectly to the individual table conditions.



#### For quick decision-makers



- > Width 700 mm + Protrusion 200 mm
- > 1 x foot T2-F3 + 1 x foot T2-F1
- > Design T2-D3
- > IMMEDIATELY AVAILABLE

**EUR 124.-**





Disinfectant-resistant



Wipeable



Suitable for nearly all commercially available door handles





### Door Lever Handle G2



With the **G2 Door Lever Handle**, your door handles do not pose a risk to health, since spreading bacterias or viruses through the palms of your hands is a thing of the past. Suitable for all commercially available door handle models – regardless of whether the handle is round-shaped or angular-shaped – the **G2 Door Lever Handle** can be easily fitted onto the existing door handle and allows the door to be opened comfortably and safely by wrist or elbow. The model is available in pairs for left and right mounting.

Door Lever Handle G2-R
(Double-sided pair with round-shaped mounting bracket for all

EUR 38,-

Door Lever Handle G2-E
(Double-sided pair with square-shaped mounting bracket
for all square/rectangular door

**EUR 38,-**



G2-R-Weiß (White) G2-E-Weiß (White)



G2-R-Silber (Silver) G2-E-Silber (Silver)



G2-R-Schwarz (Black) G2-E-Schwarz (Black)





**Dimensions** Width 150 x Height 60 mm

**Material** Rilsan-coated metal,

shock-resistant and shock-proof

300 μ

Mounting bracket

Rilsan-coated metal |

Round-shaped or square-shaped

mounting bracket selectable for existing door handle

design |

Left or right mounting option selectable

- + Premium acrylic glass, edges trimmed at an angle
- + Slim design for impression of barrier-free customer contact
- + Minimal assembly effort, extreme stability
- + Stackable for space-saving storage
- + Easy cleaning with conventional cleaning agents



# Spit Protection Screen TYPE S



The **Spit Protection Screen Type S** is made of transparent acrylic glass and provides a service hatch. The acrylic glass panels are only 5 mm thick, a fact that guarantees space-saving storage after use. Cleaning and disinfection involve conventional cleaning agents and disinfectants. Another advantage is the tool-free assembly as a plug-in system on solid feet.

#### Cleaning instructions

- Use a microfiber cloth, lukewarm water and a small amount of detergent for cleaning.
- Avoid glass cleaners, abrasives or solvents for cleaning since they can scratch or even damage the acrylic glass. As an alternative, use a vinegar-based cleaner. However, do not use more than 2 capsfuls to 5 litres of water.
- Scratches or damages can be polished off with special pastes.
- Tough soiling can be removed with conventional benzine or similar products. Do not apply excessive pressure while cleaning, wipe gently.
- Do not dry the acrylic glass after cleaning, otherwise it becomes electrostatically charged.

#### EUR 260,-

**Dimensions** Screen: W:750 x H:900 mm Hatch cut-out W:500 x H:200 mm

Material Acrylic glass, 5 mm, can be cleaned and

disinfected with conventional cleaning

agents

**Color** Transparent

**Assembly** Tool-free assembly as plug-in system on feet

**Options** Optional foiling of the spit protection

possible (logo, warning notices, pictograms,

etc.)

- + Premium acrylic glass, edges trimmed at an angle
- + Slim design for impression of barrier-free customer contact
- + Minimal assembly effort, extreme stability
- + Stackable for space-saving storage
- + Easy cleaning with conventional cleaning agents



# Spit Protection Screen TYPE M



The **spit protection screen Type M** does not require any additional feet, because its hinged side wings ensure an independent and secure positioning from an angle of 20°. Just like its little brother, Type S, it offers a service hatch and adapts perfectly to any room interior thanks to the 5 mm thick acrylic glass.

#### Cleaning instructions

- Use a microfiber cloth, lukewarm water and a small amount of detergent for cleaning.
- Avoid glass cleaners, abrasives or solvents for cleaning since they can scratch or even damage the acrylic glass. As an alternative, use a vinegar-based cleaner. However, do not use more than 2 capsfuls to 5 litres of water.
- Scratches or damages can be polished off with special pastes.
- Tough soiling can be removed with conventional benzine or similar products. Do not apply excessive pressure while cleaning, wipe gently.
- Do not dry the acrylic glass after cleaning, otherwise it becomes electrostatically charged.

#### **EUR 310,-**

**Dimensions** Screen: W:750 x H:900 mm

Side wings: W:380 x H:900 mm Hatch cut-out: W:500 x H:200 mm

Material Acrylic glass, 5 mm, can be cleaned and

disinfected with conventional cleaning

agents

**Color** Transparent

**Assembly** Tool-free assembly as plug-in system on feet

**Options** Optional foiling of the spit protection

possible (logo, warning notices, pictograms,

etc.)



800 x 100 mm

# Stickers "Watch your distance"

A2



1500 x 100 mm

The digitally printed floor stickers remind customers, visitors or guests of the health-relevant topic "distance". They are available in sizes  $800 \times 100$  mm or  $1500 \times 100$  mm. They adhere to numerous smooth surfaces and floor coverings and can be removed without leaving residues.

Dimensions 1500 x 100 mm (L x W) 800 x 100 mm (L x W)

Material Water-repellent sticker, 140 g vinyl film, high quality print matte





Handmade



High-quality cotton fabric



Washable up to 95°



Wash before first use



Reusable



Made in Germany



Not certified



No medical product

# Mouth and Nose Mask









#### **INDIVIDUALLY PRINTED**

Your individual logo or corporate design

Repeat motif (Cannot be placed arbitrarily)

Printing from an order quantity of 1,000 pieces, no additional charge  $\,$ 


Label with logo from an order quantity of 1,000 pieces, additional charge + 1  $\in$ 

Graduated prices upon request

Recommended retail prices in EURO without VAT plus shipping costs | Due to the current corona pandemic, which can affect our suppliers at any time, we aim for a delivery time of 2 weeks within the introductory period, but cannot guarantee it. After the introductory period, the products will be available from stock. | Edition 04-2020 | All data with reservation and subject to change



# Disinfectant



Composition: Ethanol 80%, hydrogen peroxide 0.125%, glycerin 1.450%, purified water. Application: Rub your hands with approx. 3 mlof the solution and keep them moist for 30 seconds. Warnings: Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness and dizziness. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not smoke. Keep container tightly closed. In case of contact with eyes: Rinse cautiously with water for a few minutes. Remove contact lenses if possible. Continue rinsing. Dispose of contents / container to an approved disposal company or municipal collection point. Do not discharge into the sewage system.



